




CRIMP TOOL



0.36mm Wire

13.4mm






Vacuum side D-SUB Pin(16757-02-A)




0.6mm Wire



POS-NR.	DESCRIPTION	Material	QTY
1	Slotted Cheese Screw 4-40 UNC	1.4301 (X5CrNi18-10)	2
2	Front Plate for SUB-D 50 Pin	Glaskeramik	1
3	Back Plate for SUB-D 50 Pin	Glaskeramik	1
4	Hexagon Nut M2 DIN934	Stainless Steel	2
5	Countersunk Screw M2X14	Stainless Steel	2



Bemerkungen (Remarks)				Freimaßtoleranz (Standard Toleranz)		Maßstab (Scale)		Rauheit (Roughness)		europ. Projektion	
All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Alletra GmbH.				Datum		Name		Material, Standard Oberfläche (Treatment)		Kanten (edges)	
				Design		23.05.2014		JB		12.69	
				Drawn		23.05.2014		JB		Page: 5	
				Check						Pages: 5	
										Revision	
										Format <b>A4</b>	
Index				Modification		Datum		Name		Datei (File) C:\PDMStore\C:\PDMStore\	
								Zeichnungsnummer (Drawing No.) <b>211-FS50-UHV</b>			




## Product Specifications

---

<u>Vacuum Level</u>	<u>UHV &lt;math&gt;5 \times 10^{-10}&lt;/math&gt; mbar-l/sec</u>
Size or DN	50-way
Compliance	Sub-D, DIN 41652, MIL-C-24308
<u>Body Material</u>	<u>Ceramic</u>
<u>Temperature Range</u>	<u>4K to 300oC</u>
Number of Pins	50
Num in Pack	1

## 15 Ampere (A) Conductor Current Rating Copper Alloy - Gold Flash Crimp Type Contact (16757-02-A) - 2



### Specifications

Brands	<b>Ceramaseal®</b>
Accepts Pin Diameter	<b>0.040 in 1.0 mm</b>
Conductor Current Rating	<b>15 A</b>
<u>Minimum Temperature</u>	<b>-200 °C</b>
<u>Maximum Temperature</u>	<b>200 °C</b>
Gold Plated	<b>No</b>
Quantity Per Package	<b>5</b>

### Material

Copper Alloy - Gold Flash

# 견 적 서

장 상철님 귀하  수신자: 님	견적번호	2018070001	견적일자	2018-07-02
	상 호	진성아이티		
	등록번호	122-31-40306	대표자	이진수
	업 태	제조 도소매외	종 목	전기전자부품외
	전화번호	032-267-6600	팩스번호	032-267-6601

아래와 같이 견적하오니 검토 후 회신바랍니다.



견적금액	₩25,500 (이만오천오백 원정)	세액처리	부가세별도
------	---------------------	------	-------

순번	품목명	규격	단위	수량	단가	금액	비고
2	핑거	JSF12185	EA	6	4,250	25,500	

납기일자	발주 후 10일 이내	납품장소	
유효일자	견적서 발행후 15일	결제조건	선 입금후 제품 발송
견적조건			
비고			



Finger Strip(SMD Type)



# ROD HOME VIEW

설계자	점검자	승인자	날짜	날짜	
User				2018-07-02	
			에디션	용지	
				1 / 1	

# 견 적 서

견 적 일 자 : 2018년 7월 2일  
 견 적 번 호 : PL-180702-C-002-JK  
 서울대학교 장상철님 귀중

주소: \_\_\_\_\_  
 전화 \_\_\_\_\_ 팩스 \_\_\_\_\_

공	등 록 번 호	119-87-01702		
	상호(법인명)	파트너스랩(주)	성명	이 상
급	사 업 장 주 소	서울 금천구 범안로 9길 49		
	업 태	제조업	업종	정밀기계가공
자	전 화 번 호	02-6959-6000	팩스	02-6959-6001



합 계 금 액 (공급가액+세액)	<b>오백구십만칠천 원정 ( ₩ 5,907,000 )</b>
----------------------	-----------------------------------

No	품 명	규 격	수 량	단 가	공 급 가 액	세 액	비 고
1	1.HV_Electrode	AL6061	2	250,000	500,000	50,000	
2	2.HV_SIDE_R1	AL6061	2	150,000	300,000	30,000	
3	3.HV_NEXT_SIDE_R1	AL6061	3	150,000	450,000	45,000	
4	4.Standard_Electrode	AL6061	6	150,000	900,000	90,000	
5	5.HV_SIDE_L	AL6061	1	150,000	150,000	15,000	
6	6.Last_Electrode	AL6061	1	170,000	170,000	17,000	
7	7.Electrode_Base_L	AL6061	1	400,000	400,000	40,000	
8	7.Electrode_Base_R	AL6061	1	400,000	400,000	40,000	
9	8.Insulator	Ceramic	4				Ceramic 가공불가
10	9.ROD	AL6061	3	700,000	2,100,000	210,000	
11							
12							
13							
합 계					5,370,000	537,000	

1. 납 기: 발주 후 별도 협의
2. 결제조건: 납품 후 30일 이내.
3. 납품장소: 귀사 지정 장소
- 4. 주요공차 위치 : 내경 / 외경 / 길이 / 딴플 ( ±0.01mm )**