GBAR Meeting (SNU) (14 June 2016)

Jongwon Hwang

Test of the DAQ system with PWO scintillation crystal



ΔT of bar





Double-peak problem!

Solution: Waveform analysis

- Instead of TDC timing, use the one extracted from a waveform.
- Find the timing when an amplitude crosses the one tenth of the height of the signal.
- Use a 2-point linear interpolation. (should be improved?)



Solution: Waveform analysis





No Zero peak No Second peak

We can use this timing instead of that from TDC.

ΔT – Position relation





T_L-T_R correlation





Zigzag pattern appear for the large-width cases.

Inter-channel correlation

- It is suspicious that the correlation between channels of the FADC.
- Change the setup: the same signals from one PMT to different channels (no use of scintillators for trigger) (Left PMT: CH 1 & 3 / Right PMT: CH 2 & 4)
- Take cosmic-ray data.
- Data for CH1(2) & 3(4) should be identical.

Inter-channel correlation

- It is suspicious that the correlation between channels of the FADC
- Change the setup: the same signals from one PMT to different channels (no use of scintillators for trigger) (Left PMT: CH 1 & 3 / Right PMT: CH 2 & 4)
- Take cosmic-ray data.
- Data for CH1(2) & 3(4) should be identical.

Inter-channel correlation

- Zigzag patterns appear for both cases
 (Left: CH 1 vs CH 3)
 (Right: CH 2 vs CH 4)
- Why?



GEANT4 simulation

- Succeeded to compile.
- Succeeded to run.
- Going to consider a cosmic-ray filter.







Scintillator from IBS



